

# Goal 3: Ensure healthy lives and promote well-being for all at all ages



Goal 3 aims to address the various emerging health issues of the ever-changing world. A total of 42 indicators have been identified at national level to measure and monitor the progress of these targets and data is available for 40 indicators.

Number of indicators in NIF (Original)	Number of indicators in NIF (Revised)	Number of indicators Under compilation	Values available at National level	State value is available
41	42	2	40	27

SL	NATIONAL INDICATOR	VALUE OF THE INDICATOR	
		India	Uttar Pradesh
<b>Target 3.1: By 2030, reduce the global maternal mortality ratio to less than 70 per 1,00,000 live births</b>			
1	3.1.1: Maternal Mortality Ratio, (per 1,00,000 live birth) <i>Source: Office of Registrar General of India, Ministry of Home Affairs/Periodicity: Annual</i>	<b>Year</b>	<b>Value</b>
		2014-16	130      201
		2015-17	122      216
2	3.1.2: Percentage of births attended by skilled health personnel (Period 5 years), <i>Source: Ministry of Health and Family Welfare (National Family Health Survey / Periodicity: 3 Years</i>	81.40	70.40
3	3.1.3: Percentage of births attended by skilled health personnel (Period 1 year), <i>Source: Ministry of Health and Family Welfare (National Family Health Survey) / Periodicity: 3 Years</i>	84.40	75.10
4	3.1.4: Percentage of women aged 15-49 years with a live birth, for last birth, who received antenatal care, four times or more (Period 5 years/1 year), (in percentage) <i>Source: Ministry of Health and Family Welfare (National Family Health Survey) / Periodicity: 3 Years</i>	51.20 (5 years)	26.40
<b>Target 3.2: By 2030, end preventable deaths of newborns and children under 5 years of age, with all countries aiming to reduce neonatal mortality to at least as low as 12 per 1,000 live births and under-5 mortality to at least as low as 25 per 1,000 live births</b>			
1	3.2.1: Under-five mortality rate, (per 1,000 live births) <i>Source: Sample Registration System (SRS), ORGI, Ministry</i>	<b>Year</b>	<b>Value</b>
		2015	Rural-48 Urban-28 Total-43      Rural-54 Urban-40 Total-51

SL	NATIONAL INDICATOR	VALUE OF THE INDICATOR		
		India		Uttar Pradesh
	<i>of Home Affairs /Periodicity: Annual</i>	2016	Rural-43 Urban-25 Total-39	Rural-50 Urban-37 Total-47
		2017	Rural-42 Urban-25 Total-37	Rural-49 Urban-35 Total-46
2	3.2.2: Neonatal mortality rate (per 1,000 live births) <i>Source: Sample Registration System (SRS), ORGI, Ministry of Home Affairs /Periodicity: Annual</i>	<b>Year</b>	<b>Value</b>	
		2015	25	31
		2016	24	30
		2017	23	30
SL	NATIONAL INDICATOR	VALUE OF THE INDICATOR		
		India		Uttar Pradesh
3	3.2.3: Percentage of children aged 12-23 months fully immunized (BCG, Measles and three doses of Pentavalent vaccine), <i>Source: Ministry of Health and Family Welfare (National Family Health Survey / Periodicity: 3 Years</i>	62.0		51.50
<b>Target 3.3: By 2030, end the epidemics of AIDS, tuberculosis, malaria and neglected tropical diseases and combat hepatitis, waterborne diseases and other communicable diseases</b>				
1	3.3.1: Number of new HIV infections per 1,000 uninfected population <i>Source: Ministry of Health and Family Welfare (National AIDS Control Organization / Periodicity: 2 Years</i>	<b>Year</b>	<b>Value</b>	
		2015	0.08	0.04
		2017	0.07	0.03
2	3.3.2: Tuberculosis incidence per 1,00,000 population <i>Source: Ministry of Health and Family Welfare (WHO's Global TB Report) /Periodicity: Annual</i>	<b>Year</b>	<b>Value</b>	
		2015	217	
		2016	211	
		2017	204	
3	3.3.3: Malaria incidence per 1,000 population <i>Source: Ministry of Health and Family Welfare/ Directorate of National Vector Borne Disease Control Programme (DGHS) / Periodicity: Annual</i>	<b>Year</b>	<b>Value</b>	
		2015	0.92	
		2016	0.85	
		2017	0.64	
		2019	0.18	
4	3.3.4: Prevalence of Viral Hepatitis A per 1,00,000 population <i>Source: Ministry of Health and Family Welfare / Periodicity: Annual</i>	<i>Under compilation</i>		
5	3.3.5: Dengue: Case Fatality Ratio, (in ratio) <i>Source: Ministry of Health and Family Welfare/ Directorate of National Vector Borne Disease Control Programme (DGHS) / Periodicity: Annual</i>	<b>Year</b>	<b>Value</b>	
		2015	0.20	
		2016	0.20	
		2017	0.20	
6	3.3.6: Number of Chikungunya cases <i>Source: Ministry of Health and Family Welfare/ Directorate of National Vector Borne Disease Control Programme (DGHS) / Periodicity: Annual</i>	<b>Year</b>	<b>Value</b>	
		2015	27,553	
		2016	64,057	
		2017	67,769	
		2018	57,813	
2019	54,033			
7	3.3.7: Number of new cases of Kalaazar/ V Leishmaniasis <i>Source: Ministry of Health and Family Welfare/</i>	<b>Year</b>	<b>Value</b>	
		2015	8,500	
		2016	6,249	

SL	NATIONAL INDICATOR	VALUE OF THE INDICATOR		
		India		Uttar Pradesh
	<i>Directorate of National Vector Borne Disease Control Programme (DGHS) / Periodicity: Annual</i>	2017	5,758	
		2018	4,380	
		2019	2,539	
8	3.3.8: Number of new cases of Lymphatic Filariasis (LF) <i>Source: Ministry of Health and Family Welfare / Periodicity: Annual</i>	<b>Year</b>	<b>Value</b>	
		2016	16,746	
		2017	6,979	
		2018	26,324	
9	3.3.9: Proportion of grade-2 cases amongst new cases of Leprosy, (in rate per million) <i>Source: Ministry of Health and Family Welfare / Periodicity: Annual</i>	<b>Year</b>	<b>Value</b>	
		2015-16	4.60	3.89
		2018-19	3.74	1.94
10	3.3.10: HIV Prevalence Rate (in percentage) <i>Source: Ministry of Health and Family Welfare (National AIDS Control Organisation) / Periodicity: 2 Years</i>	<b>Year</b>	<b>Value</b>	
		2015	0.23	0.09
		2017	0.22	0.09
<b>Target 3.4: By 2030, reduce by one third premature mortality from non-communicable diseases through prevention and treatment and promote mental health and wellbeing</b>				
1	3.4.1: Number of deaths due to cancer <i>Source: Ministry of Health and Family Welfare / Periodicity: Annual</i>	<i>Under compilation</i>		
2	3.4.2: Suicide mortality rate, (per 1,00,000 population) <i>Source: (a) Numerator: National Crime Records Bureau (b) Denominator: Office of Registrar General of India, Ministry of Home Affairs / Periodicity: Annual</i>	<b>Year</b>	<b>Value</b>	
		2015	10.6	1.8
		2016	10.2	1.6
		2017	9.9	2.0
		2018	10.2	2.2
3	3.4.3: Percentage distribution of leading cause groups of deaths <i>Source: Office of Registrar General of India, Ministry of Home Affairs / Periodicity: Annual</i>	<b>Year</b>	<b>Value</b>	
		2015	22	-
		2016	19	9.6
		2017	22	8.6
<b>Target 3.5: Strengthen the prevention and treatment of substance abuse, including narcotic drug abuse and harmful use of alcohol</b>				
1	3.5.1: Percentage of population (men (15-49 years) & women (15 - 49 years) who drink alcohol about once a week out of total population (men (15-49 years) & women (15 - 49 years)) who drink alcohol, <i>Source: Ministry of Health and Family Welfare (National Family Health Survey) / Periodicity: 3 Years</i>	a) 40.7 (Male) b) 35.0 (Female)		a) 29.2 (Male) b) 37.7 (Female)
2	3.5.2: Number of persons treated in de-addiction centres <i>Source: Ministry of Social Justice and Empowerment/ Department of Social Justice and Empowerment / Periodicity: Annual</i>	<b>Year</b>	<b>Value</b>	
		2015-16	1,46,124	5535
		2016-17	1,14,759	7011
		2017-18	1,00,737	6642
		2018-19	77479	5504
2019-20	93364	5888		
3	3.5.3: Percentage of population (men (15-54 years) and women (15-49 years)) who consume alcohol, <i>Source: Ministry of Health and Family Welfare/ Department of Health and Family Welfare / Periodicity: 3 Years</i>	a) 29.5 (Male) b) 1.2 (Female)		a) 22.30 (Male) b) 0.10 (Female)

SL	NATIONAL INDICATOR	VALUE OF THE INDICATOR				
		India			Uttar Pradesh	
<b>Target 3.6: By 2020, halve the number of global deaths and injuries from road traffic accidents</b>						
1	3.6.1: People killed/injured in road accidents (per 1,00,000 population) (similar to 11.2.2) <i>Source: (a) Numerator: National Crime Records Bureau (b) Denominator: Office of Registrar General of India, MHA / Periodicity: Annual</i>	Year	Death Rate	Injury Rate	Death Rate	Injury Rate
		2015	11.81	38.31	8.53	8.05
		2016	11.77	37.64	8.76	9.22
		2017	11.46	34.85	9.44	9.82
		2018	11.54	33.74	10.11	10.01
<b>Target 3.7: By 2030, ensure universal access to sexual and reproductive health-care services, including for family planning, information and education, and the integration of reproductive health into national strategies and programmes</b>						
1	3.7.1: Percentage of currently married women (15-49 years) who use any modern family planning methods, (similar to Indicator 3.8.1 and 5.6.1) <i>Source: Ministry of Health and Family Welfare (National Family Health Survey) / Periodicity: 3 Years</i>	47.70			31.70	
2	3.7.2: Percentage of women aged 15-19 years who were already mothers or pregnant, <i>Source: Ministry of Health and Family Welfare (National Family Health Survey) / Periodicity: 3 Years</i>	7.90			3.8	
3	3.7.3: Percentage of Institutional Births (5 years/1 years), <i>Source: Ministry of Health and Family Welfare (National Family Health Survey) / Periodicity: 3 Years</i>	a) 78.9 (during last 5 years) b) 82.6 (during last 1 year)			a) 67.8 (during last 5 years) b) 73.2 (during last 1 year)	
4	3.7.4: Percentage of currently married women aged 15-49 years who have their need for family planning satisfied with modern methods, <i>Source: Ministry of Health and Family Welfare (National Family Health Survey) / Periodicity: 3 Years</i>	71.90				
<b>Target 3.8: Achieve universal health coverage, including financial risk protection, access to quality essential health-care services and access to safe, effective, quality and affordable essential medicines and vaccines for all</b>						
1	3.8.1: Percentage of currently married women (15-49 years) who use any modern family planning methods, (similar to Indicator 3.7.1 and 5.6.1) <i>Source: Ministry of Health and Family Welfare (National Family Health Survey) / Periodicity: 3 Years</i>	47.70			31.70	
2	3.8.2: Percentage of TB cases successfully treated (cured plus treatment completed) among TB cases notified to the national health authorities during a specified period <i>Source: Ministry of Health and Family Welfare (Revised National Tuberculosis Control Programme, NIKSHAY) / Periodicity: Annual</i>	Year	Value			
		2015	67.00			
		2017	65.25			
3	3.8.3: Percentage of people living with HIV currently receiving ART among the detected number of adults and children living with HIV <i>Source: Ministry of Health and Family Welfare (National Family Health Survey) / Periodicity: 2 Years</i>	Year	Value			
		2015-16	62			
		2017-18	70			
		2018-19	82			
4	3.8.4: Prevalence of hypertension among men and women age 15-49 years, (in percentage) <i>Source: Ministry of Health and Family Welfare (National Family Health Survey) / Periodicity: 3 Years</i>	a) 11.0 (Male) b) 14.8 (Female)			a) 16.8 (Male) b) 23.6 (Female)	

SL	NATIONAL INDICATOR	VALUE OF THE INDICATOR		
		India		Uttar Pradesh
5	3.8.5: Percentage of population in age group 15-49 who reported sought treatment out of total population in that age group having diabetes, <i>Source: Ministry of Health and Family Welfare (National Family Health Survey) / Periodicity: 3 Years</i>	a) 72.50 (Male) b) 81.30 (Female)		
6	3.8.6: Percentage of women aged 15-49 who have ever undergone Cervix examinations, <i>Source: Ministry of Health and Family Welfare (National Family Health Survey) / Periodicity: 3 Years</i>	22.3		13
7	3.8.7: Percentage of women aged 15-49 years and men aged 15-49 years with use of any kind of tobacco, (similar to 3.a.1) <i>Source: Ministry of Health and Family Welfare (National Family Health Survey) / Periodicity: 3 Years</i>	a) 44.50 (Male) b) 6.80 (Female)		a) 17.60 (Male) b) 1.30 (Female)
8	3.8.8: Total physicians, nurses and midwives per 10,000 population, (similar to Indicator 3.c.1) <i>Source: Ministry of Health and Family Welfare / Periodicity: Annual</i>	<b>Year</b>	<b>Value</b>	
		2015	35.8	
		2016	36.4	
<b>Target 3.9: By 2030, substantially reduce the number of deaths and illnesses from hazardous chemicals and air, water and soil pollution and contamination</b>				
1	3.9.1: Mortality rate attributed to unintentional poisoning, (per 1,00,000 population) <i>Source: (a) Numerator: National Crime Records Bureau (b) Denominator: Office of Registrar General of India, Ministry of Home Affairs / Periodicity: Annual</i>	<b>Year</b>	<b>Value</b>	
		2015	2.10	0.40
		2016	1.81	0.34
		2017	1.59	0.47
		2018	1.64	0.37
SL	NATIONAL INDICATOR	VALUE OF THE INDICATOR		
		India		Uttar Pradesh
2	3.9.2: Proportion of men and women reporting Asthma in the age group (aged 15-49 years), (in percentage) <i>Source: Ministry of Health and Family Welfare (National Family Health Survey) / Periodicity: 3 years</i>	a) 1.20 (Male) b) 1.90 (Female)		a) 1.00 (Male) b) 1.20 (Female)
<b>Target 3.a: Strengthen the implementation of the World Health Organization Framework Convention on Tobacco Control in all countries, as appropriate</b>				
1	3.a.1: Percentage of women aged 15-49 years and men aged 15-49 years who use any kind of tobacco, (similar to 3.8.7) <i>Source: Ministry of Health and Family Welfare (National Family Health Survey) / Periodicity: 3 Years</i>	a) 44.50 (Male) b) 6.80 (Female)		a) 17.60 (Male) b) 1.30 (Female)
<b>Target 3.b: Support the research and development of vaccines and medicines for the communicable and non-communicable diseases that primarily affect developing countries, provide access to affordable essential medicines and vaccines, in accordance with the Doha Declaration on the TRIPS Agreement and Public Health, which affirms the right of developing countries to use to the full the provisions in the Agreement on Trade-Related Aspects of Intellectual Property Rights regarding flexibilities to protect public health, and, in particular, provide access to medicines for all</b>				
1	3.b.1: Budgetary allocation for Department of Health Research, (in Rs. crore) <i>Source: Ministry of Health and Family Welfare / Periodicity: Annual</i>	<b>Year</b>	<b>Value</b>	
		2015-16	1018	
		2016-17	1144.8	
		2017-18	1500	

SL	NATIONAL INDICATOR	VALUE OF THE INDICATOR		
		India		Uttar Pradesh
		2018-19	1800	
		2019-20	1900	
<b>Target 3.c: Substantially increase health financing and the recruitment, development, training and retention of the health workforce in developing countries, especially in least developed countries and small island developing States</b>				
1	3.c.1: Total physicians, nurses and midwives per 10,000 population, in percentage (similar to Indicator 3.8.8) <i>Source: Ministry of Health and Family Welfare, Periodicity: Annual</i>	<b>Year</b>	<b>Value</b>	
		2015	35.8	
		2016	36.4	
2	3.c.2: Percentage of government spending (including current and capital expenditure) in health sector to GDP <i>Source: National Accounts Division, NSO, MoSPI / Periodicity: Annual</i>	<b>Year</b>	<b>Value</b>	
		2015-16	1.19	
		2016-17	1.18	
		2017-18	1.24	
		2018-19	1.30	
<b>Target 3.d: Strengthen the capacity of all countries, in particular developing countries, for early warning, risk reduction and management of national and global health risks</b>				
	National Indicator is under development			